
REVISIONS								
REV	ECO	DESCRIPTION	DATE	BY	APPR			
B1	-	RELEASED DRAWING	JUN-18-2014	BEN	TOMMY			



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL:

1.1. CONTACT BODY: COPPER ALLOY.
1.2. OUTER SPRING: STAINLESS STEEL.

2. SPECIFICATIONS:

2.1 CURRENT RATING: 7.5A(MAX). 2.2 TERMINATION TYPE: CRIMPING. 2.3 WIRE RANGE: 20~22AWG.

3. SUITABLE SOCKET TYPE: MS20W23xx.

4. ROHS COMPLIANT.

5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

P/N	CONTACT PLATING(MATING AREA)			
MP20W23F	GOLD FLASH PLATING OVER NICKEL.			
MP20W23G10	10μ"GOLD PLATING OVER NICKEL.			
MP20W23G15	15µ"GOLD PLATING OVER NICKEL.			
MP20W23G30	30μ"GOLD PLATING OVER NICKEL.			

QUANTITY PART NU		IUMBER	DESCRIPTION		ITEM		
	MATERIALS LIST HERWISE SPECIFIED JOING SER IN MEDICIONES, SPECIFIED JOING SER IN MEDICIONES, SPECIFIED JOING SER IN MEDICIONES, SPECIFIED SIGNATURES DATE Amphenol Sine Systems - www.amphenol-sine.com						
		SIGNATURI	S DATE	Amphenol			
Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64		DRAWN: BEN	JUN-18-2014	Amphenoi			
		CHECKED:					
		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036			
		APPROVAL:			.,		
		CUSTOMER:		ECO-MATE,PIN CONTACT MACHINE, 20-22AWG, SIZE 20			
		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION, NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL					
				B C-	MP20W2	3xx	B1
				SCALE: NONE	:	sheet 1 (of 1