Effective September 2015 Supersedes May 2015

# Bussmann series 14 x 51 mm Photovoltaic fuse links





# Description

Eaton's Bussmann series range of 14 x 51 mm package fuse links is specifically designed for protecting an isolating photovoltaic strings. These fuse links are capable of interrupting low overcurrents associated with faulted PV systems (reverse current, multi array fault).



## Bussmann series 14 x 51 mm Photovoltaic fuse links

## Catalogue symbol

• PV-(amp rating)A14F

## Fuse size

• 14 x 51 mm

## **Technical data**

- Rated voltage:
  - 1000 V d.c. (25 and 32 A)
  - 1100 V d.c. (15 and 20 A)
- Rated current: 15 to 32 A
- Breaking capacity: 10 kA
- Class of operation: gPV and UL PV fuse links
- PV fuse coordinationw/: Thin film cells and 4", 5" and 6" crystalline sillicon cells
- Time constant: 1-3 ms
- Minimum interrupting rating:
- 1.5 x I<sub>n</sub> for 15 20 A
- 1.75 x I<sub>n</sub> for 25 32 A

#### Standards/Approvals:

- IEC 60269-6
- UL 2579 (File number E335324)
- RoHS compliant

## Fuse holders:

- CHPV141B
- CHPV141BI

### Packaging:

- MOQ: 10
- Packaging: 100% recyclable

#### **Dimensions - mm**



Catalogue number	Rated current (Amps)	Rated voltage (V d.c.)	Energy integrals I <sup>2</sup> t (A <sup>2</sup> s)		Watts loss	
			Pre-arcing	Total at rated voltage	<b>08 I</b> _	I,
PV-15A14F	15	1100	14	265	2.1	4
PV-20A14F	20	1100	27	568	2.7	5
PV-25A14F	25	1000	65	943	2.7	5.1
PV-32A14F	32	1000	120	1740	3.3	6.2

Table 1. Technical data

## **Time-current curve**



Available current, DC-Time constant 1-3ms (Amps)

Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

Eaton EMEA Headquarters Route de la Longeraie 7 1110 Morges, Switzerland Eaton.eu

© 2015 Eaton All Rights Reserved Publication No. 720132 September 2015

(•N

Powering Business Worldwide

FA

Eaton is a registered trademark.

All other trademarks are property of their respective owners.