



## Item description

- Suitable for a main distribution board with several RCD switches and small circuit groups; includes all required components for wiring supply terminal blocks and connecting 14 AC circuits and two three-phase circuits.
- The ground fault potentials are supplied for each individual terminal block. The ground fault potentials of adjacent terminal blocks can be commoned using optional jumpers to create small circuit groups. N-potentials can be disconnected for insulation resistance measurement via knife disconnects within the multilevel installation terminal block.

Contains:

- 16 x multilevel installation terminal block; NT/L/PE; 4 mm<sup>2</sup> (2003-6641)
- 2 x multilevel installation terminal block; L/L; 4 mm<sup>2</sup> (2003-6642)
- 1 x end and intermediate plate (2003-6692)
- 3 x 2-conductor supply terminal block for distribution boxes; gray; 16 mm<sup>2</sup> (2016-7601)
- 1 x 2-conductor supply terminal block for distribution boxes; blue; 16 mm<sup>2</sup> (2016-7604)
- 1 x 2-conductor ground terminal block; green-yellow; 16 mm<sup>2</sup> (2016-7607)
- 1 x end and intermediate plate (2016-7692)

—  
Subject to changes. Please also observe the further product documentation!

- 2 x screwless end stop; 10 mm wide (249-117)
- 15 x push-in type jumper bar; 2-way; light gray (2002-402)
- 2 x N/L test plug adapter; gray (2003-499)
- 2 x N/L test plug adapter; gray (2003-500)
- 2 x test plug adapter; for 4 mm Ø test plug (2009-174)
- 1 x marking strip; white; 0.5 m (2009-110)
- 1 x WMB marker card; 1 ... 50 (793-5566)
- 1 x WMB marker card; L1, L2, L3, N, PE (793-5472)
- 1 x felt-tip pen (210-110)

Assembly width incl. end stop: 17.02 cm

## Data

### Material Data

Note (material data)

Information on material specifications can be found here

Fire load	7.991 MJ
Weight	609.3 g

### Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-25
eCl@ss 9.0	27-14-11-25
ETIM 8.0	EC001329
ETIM 7.0	EC001329
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4050821675099
Customs tariff number	80808080888

### Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)

Subject to changes. Please also observe the further product documentation!

7(a)  
7(c)-I  
7(c)-II

SCIP notification number (Austria)	4c3d2659-b2df-404c-9c8a-9b1750fb4dd
SCIP notification number (Belgium)	71d5aa46-327c-4faa-9881-a2fd6f22b275
SCIP notification number (Bulgaria)	3b100414-a239-432e-885d-b91a9ea465a1
SCIP notification number (Czech Republic)	5d612b10-6300-47b8-969b-70f8b8687908
SCIP notification number (Denmark)	fdc4391a-0f0a-48dd-9d72-243f96e2cd70
SCIP notification number (Finland)	3aec3441-1360-4f17-9629-a5ff4ea66bb4
SCIP notification number (France)	bf1d7135-7b47-4d51-a580-88717a792ed6
SCIP notification number (Germany)	16fd6cf8-8fa7-4b9f-8881-44e2c26d8738
SCIP notification number (Hungary)	283296b8-4dba-4b0c-8f68-4c7ecf59d07c
SCIP notification number (Italy)	ddb6817f-8833-4a1f-82bd-58a635725f2b
SCIP notification number (Netherlands)	c7387b25-d5cc-454a-bc57-0e24b6a5a04b
SCIP notification number (Poland)	584c1273-4cf5-4067-99bd-f5b172947d9b
SCIP notification number (Romania)	e3137034-add9-4b48-a2f7-1c99a8cc064f
SCIP notification number (Sweden)	777cdd48-3128-460c-b574-05c985f27ec1

## Downloads

### Documentation

#### Bid Text

ausschreiben.de 821-129	URL	<a href="#">Download</a>
-------------------------	-----	--------------------------

### Additional Information

Technical Section	pdf	<a href="#">Download</a>
Technical explanations	2.2 MB	

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 821-129	URL	<a href="#">Download</a>
Set		

## Installation Notes

Subject to changes. Please also observe the further product documentation!

## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastra. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.