

NOTES:

1. STAPLES SHOULD ONLY BE USED TO SET UP CARTON.  
ALL CARTON CLOSURES MUST BE DONE WITH TAPE.
2. FILL PACKAGING EMBOSSED TAPE WITH THE QUANTITIES AS INDICATED IN THE CHART.
3. A QUANTITY OF (SEE TABLE) CONNECTORS PER CARTON.


48405-000X		1800	60	30
PRODUCT P/N		PARTS PER CARTON	PARTS PER TAPE & TRAY	LOADED TAPE & TRAY PER CARTON
RELEASE EC NO: DRWN: FYANG05 2013/10/20 CHKD: APPR:	DESCRIPTION REV	QUALITY SYMBOLS $F_A=0$ $F_C=0$ $F_P=0$		DIMENSION STYLE SCALE 1:1 DESIGN UNITS THIRD ANGLE PROJECTION
		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH		DRAWN BY: MeiH Deng DATE: 2013.6.6
		4 PLACES ± ± 3 PLACES ± ± 2 PLACES ± 0.20 ± 1 PLACE ± 0.25 ±		CHECKED BY: FYANG DATE: 2013.6.6
		ANGULAR ± ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY: RZHANG DATE: 2013.6.6
		MATERIAL NO. SEE TABLE SIZE A		TITLE: USB 3.0 CONNECTOR A RECEPTACLE 90°DIP TYPE MOLEX INCORPORATED DOCUMENT NO. PK-48405-001 SHEET NO. 1 OF 1

10 9 8 7 6 5 4 3 2 1

F

F

NOTES:  
 1. MATERIAL:PET,T=0.50MM  
 2. NUMBER OF CONNECTORS: 60 PCS/TRAY.



E

E

D

D

C

C

B

B

A

A

9 8 7 6 5 4 3 2 1

FYANG05 EC NO: DRWN: FYANG05 2013/10/20 CHKD: APPR:	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
		$\nabla_A = 0$ $\nabla_C = 0$ $\nabla_B = 0$	4 PLACES ± 3 PLACES ± 2 PLACES ± 0.25 1 PLACE ± 0.35	mm INCH	DRAWN BY Meih Deng CHECKED BY FYANG APPROVED BY RZHANG	DATE 2013.6.6 DATE 2013.6.6 DATE 2013.6.6	TITLE USB 3.0 CONNECTOR A RECEPTACLE 90°DIP TYPE	MOLEX INCORPORATED	SHEET NO. 2 OF 2
		ANGULAR ± 3° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	MATERIAL NO. PK-48405-001	DOCUMENT NO.	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
		SIZE A3							