



| | Ordering number Description | FA11110 FA11110_LOST-D | | |
|--------|---|---|--|---------------------------------------|
| | Family Type LED Color Diameter Height Style Optic Material Holder Material Fastening Status | Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round PMMA PC Tape Ready | FWHM Efficiency cd/lm Gerber File | 25 degrees 89 - Available |
| 200003 | Ordering number Description | FA11112 FA11112_LOST-M | | |
| | Family Type LED Color Diameter Height Style Optic Material Holder Material Fastening Status | Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round PMMA PC Tape Ready | FWHM Efficiency cd/Im Gerber File | 30 degrees 88 - Available |
| | Ordering number Description | FA11113 FA11113_LOST-W | | |
| | Family Type LED Color Diameter Height Style Optic Material Holder Material Fastening Status | Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round PMMA PC Tape Ready | FWHM Efficiency cd/lm Gerber File | degrees - - Available |
| | Ordering number Description | FA11114 FA11114_LOST-O-90 | | |
| | Family Type LED Color Diameter Height Style | Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round | FWHM Efficiency cd/lm Gerber File | 36+24 degrees 85 - Available |

June 30th 2011 13:14 Copyright Ledil Oy - Subject to change without prior notice - Page 1/3

PMMA

PC

Таре

Ready

Optic Material

Fastening

Status

Holder Material

Ledil Oy Salorankatu 10 24240 SALO Finland



Leila LOST series





| Ordering number Description | FA11115 FA11115_LOST-REC | | |
|---|---|---------------------|--------------------------------|
| Family | Leila | FWHM | 36+29 degrees |
| Туре | Assembly | Efficiency | 81 |
| LED | Ostar Lighting+ | cd/lm | - |
| Color | Black | Gerber File | Available |
| Diameter | 21.6 mm | | |
| Height | 13.2 mm | | |
| Style | Round | | |
| Optic Material | PMMA | | |
| Holder Material | PC | | |
| Fastening | Таре | | |
| Status | Ready | | |
| Ordering number | FA11/63 | | |
| Ordering number Description | FA11463_LOST-M2 | | |
| | | FWHM | degrees |
| Description | FA11463_LOST-M2 | FWHM Efficiency | degrees - |
| Description Family | FA11463_LOST-M2 Leila | | degrees - - |
| Description Family Type | FA11463_LOST-M2 Leila Assembly | Efficiency | degrees - - Available |
| Description Family Type LED | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ | Efficiency cd/lm | - |
| Description Family Type LED Color | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ Black | Efficiency cd/lm | - |
| Description Family Type LED Color Diameter | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ Black 21.6 mm | Efficiency cd/lm | - |
| Description Family Type LED Color Diameter Height | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm | Efficiency cd/lm | - |
| Description Family Type LED Color Diameter Height Style | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round | Efficiency cd/lm | - |
| Description Family Type LED Color Diameter Height Style Optic Material | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round PMMA | Efficiency cd/lm | - |
| Description Family Type LED Color Diameter Height Style Optic Material Holder Material | FA11463_LOST-M2 Leila Assembly Ostar Lighting+ Black 21.6 mm 13.2 mm Round PMMA PC | Efficiency cd/lm | - |

June 30th 2011 13:14 Copyright Ledil Oy - Subject to change without prior notice - Page 2/3

Ledil Oy Salorankatu 10 24240 SALO Finland



Leila LOST series

Specially designed for Ostar Lighting+ series of LEDs.

Fastening to heat sink with a PU foam adhesive tape of automotive grade.

Please find fastening details by clicking link below:

http://ledil.fi/sites/default/files/Documents/Technical/Installation/20110406_DataSheet_TAPE.pdf

We advise customer to ensure the suitability and sufficiency of the bond in the end product. For example, mechanical stress, vibration and holes on the surface of the circuit boar weaken the strength of the tape.





























